

SUPPLEMENT TO



The Gazette of India

No. 48]

NEW DELHI, SATURDAY, DECEMBER 12, 1953

OFFICIAL PAPERS

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 14th November, 1953

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				PLAQUE			
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.					

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				PLAQUE			
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.					

STATES PART (A) AND PART (C)

Ajmer

(Estd. mid-year pop.
9,488 thousands.)

TOTAL
(Estd. mid-year pop. 717 thousands.)																				
Total for w/e 7-11-53
Total for w/e 31-10-53
7-yearly mean for the week

Total for w/e 7-11-53

Total for w/e 31-10-53

7-yearly mean for the
week

Assam—contd.

Bhopal																				
<i>Information not received.</i>																				

Andhra

Bihar

Srikakulam	144	80	—	—	—	—	—	—	Patna	24	11
Visakhapatnam	28	16	—	—	—	—	Gaya	63	29
Godavari East	1	..	—	—	—	—	Shahabad	18	15
Godavari West	12	4	Saran	107	42
Nellore	70	35	—	—	—	—	Champaran
Krishna	5	4	3	—	—	—	—	—	Muzaffarpur	123	61
Guntur	15	9	—	—	—	—	Darbhanga	17	12
Kurnool	97	44	Monghyr	6	2
Cuddapah	378	144	7	Bhagalpur	26	14
Anantapur	119	67	14	3	..	—	—	—	Saharsa	11
Chittoor	67	39	—	—	—	—	Purnea	3
TOTAL	935	442	26	3	Santal Parganas	14	10	..							
Total for w/e 7-11-53	1,075	490	7	2	—	—	—	—	Hazaribagh
Total for w/e 31-10-53	993	488	14	2	—	—	—	—	Ranchi

(Estd. mid-year pop.
41,076 thousands.)

Total for w/e 7-11-53

Total for w/e 31-10-53

7-yearly mean for the
week

Bombay

Greater Bombay

Ahmedabad

Kaira

Broach

TOTAL	418	268
Total for w/e 7-11-53	604	296
Total for w/e 31-10-53	498	249
7-yearly mean for the week	393	146	27	5

Explanation of Symbols used:— C.—Cases ; D.—Deaths.

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 14th November, 1953—*contd.*

	CHOLERA				SMALLPOX				PLAQUE				CHOLERA				SMALLPOX			
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bombay— <i>contd.</i>																				
Panoh Mahals	—	..	—	..	—	(Estd. mid-year pop. 1,744 thousands.)											
Surat	1	1	4	4	—	—	Total for w/e 7-11-53	1
Thana	16	9	—	—	—	—	Total for w/e 31-10-53
Satara South	14	9	—	—	—	—	7-yearly mean for the week	2	1
Ahmednagar	13	..	—	—	Delhi— <i>contd.</i>											
East Khandesh	Total for w/e 7-11-53	1
West Khandesh	Total for w/e 31-10-53
Amravati	7-yearly mean for the week
Nasik	43	19	9	2	Himachal Pradesh											
Poona	4	1	..	—	Total for w/e 7-11-53
Satara North	31	10	—	—	—	—	Total for w/e 31-10-53
Sholapur	24	7	..	—	Madhya Pradesh											
Sabarkantha	—	—	—	Nagpur	5	4
Belgaum	40	24	—	Wardha
Bijapur	31	12	Chanda
Dharwar	23	7	—	Chhindwara
Kanara	1	1	Betul
Ratnagiri	10	12	7	..	—	..	Bhandara
Kolaba	Jabalpur
Kolhapur	156	52	..	—	Sagar
Baroda	Mandla
Navsari	Hoshangabad
Dangs	Nimar
Melwan	Balaghat
Mehsana	Raipur
Banaskantha	Bilaspur
TOTAL .		408	166	34	6	Durg
(Estd. mid-year pop. 87,445 thousands.)									Bastar
Total for w/e 7-11-53	735	251	23	6		Surguja
Total for w/e 31-10-53	821	279	34		Raigarh
7-yearly mean for the week	74	32	50	7	34	6	..		Amravati
Coorg									Yeotmal
Total		Akola	24	9
(Estd. mid-year pop. 243 thousands.)									Buldana
Total for w/e 7-11-53		TOTAL .		20	13
Total for w/e 31-10-53		(Estd. mid-year pop. 21,724 thousands.)											
7-yearly mean for the week		Total for w/e 7-11-53	98	55
Delhi									Total for w/e 31-10-53	29	15	1
Delhi City		7-yearly mean for the week	44	26	10	3	110	16
New Delhi		Madras City	160	22	7
Delhi Notified Area		Chingleput	240	95	—
New Delhi Cantt.		North Arcot	87	31
West Delhi N.A.C.		Salem	117	60
Rural Circles		Coimbatore	41	17
TOTAL		South Arcot	85	58	30	8
		13	6		Tanjore	58	32
									Tiruchirappalli	117	76	1	1

Explanation of Symbols used—C.—Cases; D.—Deaths

*Including Andhra State

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during one week ending the 14th November, 1953—contd.

Explanation of Symbols used :—C.—Cases; D.—Deaths.

*Including Andhra State.

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 14th November, 1953—contd.

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.									
Uttar Pradesh—contd.												West Bengal—contd.																									
(Estd. mid-year pop. 64,826 thousands.)												Grand Total for States Parts (A) & (O) (excluding Manipur and Bhopal) . . .																									
Unao	(Extd. mid-year pop. 2,94,160 thousands)												3,949	1,868	326	73	10	.								
Rao-Bareilli	Total for w/e 7-11-53												4,917	2,123	170	55	—	—								
Sitapur	Total for w/e 31-10-53												4,562	1,997	185	43								
Hardoi	7-yearly mean for the week . . .												1,555	694	288	51	206	51								
Kheri	STATES PART (B)																									
Faizabad	Hyderabad																									
Gonda	Aurangabad																									
Bahraich	Parbhani																									
Sultampur	.	.	7	4	Bhij																									
Pratapgarh	Gulberga												17	10	—	—								
Bara Banki	Rauchur												48	20								
Rampur	Bidar												5	3	—	—								
TOTAL	.	.	20	10	138	44	10	Osmanabad												3	3	—	—								
(Estd. mid-year pop. 8,630 thousands.)												Warrangal																									
Total for w/e 7-11-53	37	23	98	36	Karimnagar																									
Total for w/e 31-10-53	43	24	86	24	Adilabad																									
7-yearly mean for the week . . .	43	20	9	1	50	24	Nizamabad																									
Vindhya Pradesh												Medak																									
TOTAL	Nalgonda												2	5	—	—								
(Estd. mid-year pop. 8,630 thousands.)												Mahabubnagar																									
Total for w/e 7-11-53	Hyderabad																									
Total for w/e 31-10-53	Nanded																			
West Bengal												TOTAL												132	61								
Burdwan	.	.	3	1	2	1	Jammu & Kashmir																									
Birbhum	Information not received.																									
Bankura	.	.	—	..	2	Madhya Bharat																									
Midnapur	Information not received.																									
Hooghly	.	.	2	2	Mysore																									
Howrah	.	.	6	2	Bangalore												12	4	1	1	—	—								
24-Parganas	Chikmagalur																			
Calcutta	.	.	6	1	Chitaldrug												16	8								
Nadia	.	.	1	..	1	Hassan												8	6	2	—								
Murshidabad	.	.	99	48	Bellary												31	10								
Malda	.	.	20	10	Kadur																			
West Dinajpur	Kolar												22	12								
Jalpaiguri	.	.	3	3	Mandyā												3	1								
Darjeeling	Mysore												—								
Cooch Behar	Shimoga																			
Chandernagore	Tumkur												12	1								
TOTAL	140	67	5	1	TOTAL												104	42	1	1	2	..								
(Estd. mid-year pop. 26,475 thousands.)												Pattails & East Punjab States Union																									

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 14th November, 1953—concl.

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.									
Saurashtra																											w/e 12.9.53										
Chilwad	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
Alat	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
Adhya Saurashtra	.	.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	w/e 19.9.53								
Orath	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	w/e 26.9.53								
Alawad	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	TOTAL								
	TOTAL	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	TOTAL								
Travancore-Cochin																											TYPHUS										
TOTAL	.	47	29	68	55	—	..	Places	Period	Cases																											
Grand total for States Part (B)	.	283	132	89	31	2	—	Greater Bombay	4-11-53	1 (Non Louse-borne)																											
Grand total for States Parts (A), (B) & (C)	4,232	2,000	415	104	12																														
ARREAR INFORMATION																											POLIOMYELITIS										
Madhya Bharat																											(Information based on patients treated in hospitals in important towns).										
w/e 29.8.53																											Places										
TOTAL	.	58	19	Uttar Pradesh	1—15 Oct. 53	4 (Parelio)																											
w/e 5.9.53																											16—31 Oct. 53										
TOTAL	.	27	18	”	”	7 (”)																											
Explanation of Symbols used:—C—Cases ; D—Deaths.																											1—15 Nov. 53										
”																											Calcutta City										
”																											5th Nov. 53										
”																											2nd Nov. 53										

w Delhi-2 (India) }
7th December, 1953. }

K. MITRA,
for Registrar General, India.

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000 and two joint holders upto Rs. 50,000/-.

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

Deposits accepted in multiples of Rs. 100 upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum, free of income-tax and super-tax and which is not taken into account in assessing the total taxable income, is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi and Madras and Branches of the Imperial Bank of India at other places transacting treasury business. Deposits are also accepted at all Treasuries in Part 'A' States at places where the Imperial Bank does not transact treasury business and at all Sub-Treasuries in Part 'A' States; also at Treasuries at Bhuj (Kutch), Imphal (Manipur) and Coorg-Mercara (Coorg).

For further information and/or rules governing these investments please write to the Provincial National Savings Officer of your State or the National Savings Commissioner, Gorton Castle, Simla-3.

AC 444

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th November, 1953

Town	Mid-year 1953 Popn. Est. (000)	Deaths from :-												Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.							
STATES—(Parts A and C)																	
Ajmer																	
Ajmer	208	141	38.8	—	17	..	12	..	49	25.5	9			
Beawar	54	33	31.7	3	..	3	..	8	7.8	1			
TOTAL	262	174	34.6	—	..	—	—	20	..	15	..	57	21.3	10			
Andhra																	
Adoni†	34	30	45.9	2	—	—	7	1	19	29.1	2			
Anantapur																	
Anakapalle†																	
Bhimavaram	33	33	52.0	4	1	1	—	13	20.5	2			
Chirala	40	14	18.2	3	1	2	..	11	14.3	..			
Chittoor	41	39	49.5	1	—	2	..	18	22.8	5			
Cuddapah	40	44	57.2	11	4	4	33	42.9	4			
Eluru	62	69	39.0	2	2	3	1	31	17.5	6			
Gudivada	34	36	55.1	—	1	—	—	1	..	1	..	12	18.4	4			
Guntur	125	156	60.1	4	..	9	1	47	18.1	3			
Guntakal	34	20	30.6	1	1	5	7.7	2			
Kakinada	106	31	15.2	2	1	2	..	28	13.7	8			
Kurnool	64	80	65.0	2	3	..	23	18.7	9			
Mesulipatnam	82	76	48.2	2	2	2	..	28	17.8	5			
Nandyal	85	85	52.0	2	4	15	22.3	5			
Nellore	87	122	72.0	4	11	7	8	..	77	46.0	15			
Proddatur	39	26	34.7	2	2	..	1	1	18	17.3	5			
Rajamundry	102	53	27.1	4	3	2	..	39	19.9	5			
Tenali	62	60	50.3	4	1	24	15.9	13			
Vijayawad†																	
Visakhapatnam	117	69	30.7	1	6	1	3	..	37	16.4	6			
Vizianagram	71	48	35.2	6	3	1	..	36	26.4	5			
TOTAL	1,248	10,41	43.4	20	1	54	32	51	5	509	21.2	104			
Assam																	
Dibrugarh	41	14	7.8	1	4	5.1	2			
Gauhati	47	25	48.9	8	22	20.1	2			
Silchar	38	7	9.6	1	2	9	12.3	..			
Shillong†																	
TOTAL	126	46	19.0	10	2	35	14.4	4			
Bhopal																	
Bhopal	108	42	20.2	1	1	1	..	8	8.9	—			
Bihar																	
<i>Return not received.</i>																	
Bombay																	
<i>Return not received.</i>																	
Delhi State																	
Delhi City	1,006	828	42.8	—	89	11	51	..	225	11.6	80			
New Delhi	319	251	40.9	23	2	22	..	72	11.7	17			
N.A.C. Civil Station, Delhi	98	124	65.7	..	6	1	..	3	..	16	8.5	5			
Delhi Cantt.	45	49	56.5	4	..	1	..	7	10.6	..			
Delhi-Shahdara	34	51	77.4		
TOTAL	1,502	1,303	45.1	—	6	—	—	117	13	77	..	320	11.1	162			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th November, 1953—contd.

Deaths from:—

Town	Mid-year 1953 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Madhya Pradesh													
Achhalpur	87	38	46.4	3	3	2	..	17	23.9	3
Akola	96	89	48.2	7	4	4	1	41	22.2	1
Amravati	93	82	34.7	14	1	3	1	37	20.7	13
Bilaspur	39	80	40.0	6	..	1	..	13	17.3	5
Burhanpur	74	44	30.9	12	3	2	..	26	18.3	..
Chanda	42	27	33.4	10	11	18	..	36	45.8	..
Gondia	41	42	53.3	8	1	1	1	14	17.8	5
Jabalpur	218	118	28.1	11	12	2	..	49	11.7	8
Khandwa	55	22	20.8	9	1	20	18.9	..
Raipur†
Yeotmal	88	27	36.9	5	3	16	21.9	5
TOTAL	733	494	35.0	80	39	30	3	269	19.1	40
Madras													
Ambur	42	38	47.0	2	1	8	9.9	1
Aruppukottai	52	29	29.0	7	8	5	4	..	33	33.0	4
Bodinayakanur	38	35	47.9	1	3	18	24.6	2
Cannanore	44	28	27.2	1	1	6	..	16	18.9	4
Chidambaram	37	30	42.2	1	..	2	..	26	36.5	7
Coimbatore	213	188	45.9	2	2	13	27	..	120	29.3	82
Cuddalore	71	98	71.7	3	3	..	16	11.7	4
Dindigul	84	45	27.0	2	1	10	2	..	40	24.8	8
Erode	62	33	27.7	2	7	..	43	36.1	3
Gobichetti palayam	34	18	22.9	1	..	12	18.3	1
Gudiyattam	49	39	41.4	1	1	14	14.9	3
Kancheepuram	87	88	50.8	1	2	10	..	42	25.1	8
Karaikudi	41	38	48.2	4	3	3	..	26	33.0	1
Karur	46	28	31.6	2	1	..	4	..	16	18.1	5
Kozhikode	166	130	40.7	5	1	4	1	67	21.0	9
Kumbakonam†
Madras	1,542	1,576	53.6	33	157	162	922	3	1,404	47.7	242
Mangalore	126	121	49.9	7	1	4	..	28	11.6	5
Mathurai	390	377	50.1	8	1	..	20	14	61	3	259	34.4	48
Mayuram	46	19	21.5	1	1	..	3	..	24	27.1	3
Melapalayam	39	8	10.7	7	3	1	3	..	25	33.8	3
Nagapattinam	59	70	61.7	4	..	2	..	40	35.2	10
Ottacamund	44	43	50.8	1	1	4	..	18	21.3	7
Palani	37	18	25.3	1	3	4	..	22	30.9	1
Palayamkottai	42	37	45.8	11	3	..	5	1	31	33.4	4
Palghat	73	60	42.7	3	..	3	2	22	15.7	7
Periyakulam	32	35	56.0	1	3	..	14	22.8	3
Pollachi	46	31	35.0	3	2	3	..	25	28.3	3
Pudukkottai	47	46	50.9	3	4	5	..	31	34.3	7
Rajepalayam	64	43	35.0	6	8	3	2	..	40	32.5	7
Salem	219	160	35.6	11	9	22	2	89	21.1	10
Srirangam	39	34	45.3	3	5	..	18	24.0	2
Srivilliputtur	42	32	39.6	2	5	2	1	37	45.8	12
Tanjore	108	92	44.3	2	5	7	..	48	23.1	5
Tellocheriy	41	24	30.4	1	4	1	18	22.8	2
Tiruchirappalli	233	169	37.7	3	4	12	..	94	21.0	11
Tirunelveli	76	50	34.2	3	2	3	12	..	57	39.0	5
Tiruppur	57	57	52.0	1	1	2	..	18	16.4	4
Tiruvannamalai	42	31	38.4	2	1	15	18.6	2
Tuticorin	104	83	41.5	6	5	20	1	67	33.5	7
Vaniyambadi	40	31	40.3	2	5	..	21	27.3	4
Vellore	114	124	56.5	1	1	4	14	1	78	35.6	16
Villupuram	37	37	52.0	2	3	3	..	19	26.7	..
Virudunagar	49	36	70.0	2	4	1	1	1	27	28.6	5
TOTAL	4,864	4,318	46.3	93	1	..	270	281	608	18	3,086	33.1	527

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th November, 1953—contd.

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Orissa													
Berhampur	67	35	27.2	—	—	—	2	2	1	1	14	10.9	4
Cuttack	109	133	63.6	—	—	—	7	13	6	..	64	30.6	14
Puri	51	15	18.3	—	—	—	10	9	2	..	36	36.8	10
TOTAL	227	183	41.9	..	—	—	19	24	9	1	114	26.1	28
Punjab (I)													
Ambala	61	58	49.6	3	4	5	..	13	11.1	5
Amritsar	817	258	42.4	5	6	32	1	96	15.8	40
Batala	59	46	40.6	11	1	..	1	15	13.3	5
Bhiwani	54	71	68.5	13	1	2	1	26	25.1	16
Ferozepore	41	50	63.6	3	..	4	..	10	12.7	4
Hissar	37	36	50.7	3	7	9.9	4
Hoshiarpur	48	29	31.5	2	2	3	..	8	8.7	1
Jullundur	182	157	45.0	10	..	6	..	22	6.3	8
Karnal	61	24	20.5	5	2	1	..	12	10.8	3
Ludhiana	164	145	46.1	15	..	2	..	33	10.5	7
Moga	39	48	64.2	3	..	1	..	7	9.4	3
Panipat	59	54	47.7	11	1	4	..	17	15.0	3
Pathankot	33	19	30.0	2	..	3	4.7	2
Rewari	85	31	46.2	3	2	1	..	6	8.9	1
Rohtak	73	69	49.3	8	..	7	..	27	19.3	6
Simla	47	32	35.6	2	..	4	4.4	2
Sonepat	31	45	75.8	4	..	1	..	6	10.1	3
TOTAL	1,341	1,172	45.6	—	99	19	78	3	312	12.1	107
Uttar Pradesh													
Agra	352	225	33.3	—	—	..	2	8	93	..	173	25.6	63
Allahabad	329	195	30.9	—	5	5	30	1	83	13.2	24
Amroha	60	93	80.8	9	1	12	1	40	34.8	15
Bahrain	45	25	29.0	3	3	2	..	10	71.6	3
Ballia	32	26	42.4	1	8	13.0	1
Benaras	358	424	61.8	63	19	28	4	243	35.4	53
Banda	31	24	40.4	8	1	10	..	10	16.8	2
Bareilly	198	64	16.0	..	2	29	7.6	5
Basti†													
Bijnor†	53	42	41.3	10	14	13.8	5
Budaun													
Bulandshahr†													
Chandauli	130	60	24.1	—	3	—	2	1	2	..	20	8.0	1
Dehra Dun	62	70	58.9	—	..	—	10	1	10	..	34	28.6	13
Etawah													
Fazlabad-Ayodhya	81	39	25.1	..	—	—	5	3	4	1	21	13.5	5
Farrukhabad-Fatehabad	78	56	37.4	..	—	—	8	3	8	—	30	20.1	9
Firozabad	71	52	38.2	..	—	—	6	—	11	8.1	4
Ghaziabad	42	36	44.7	—	6	2	3	1	14	17.4	1
Ghasipur	35	43	64.1	..	—	—	5	2	3	..	14	20.9	2
Gonda	34	6	9.2	4	7	10.7	1
Gorakhpur	181	114	45.4	23	5	6	..	48	19.1	6
Hapur	46	93	105.4	9	5	1	..	26	29.5	8
Hardwar	60	31	26.9	12	..	3	2	29	25.2	12

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th November, 1953—contd.

Deaths from :-

Town	Mid. year 1953 Popn. Rs. (000)	Deaths from :-											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—contd.													
Bethnas	59	68	60.1	—	—	—	16	4	12	—	38	33.6	11
Jaunpur	54	35	33.8	—	—	—	7	6	—	—	20	19.3	3
Jhansi	111	108	50.7	—	—	—	28	6	—	—	39	18.3	9
Kanpur	680	471	36.1	—	—	—	98	23	27	4	265	20.3	76
Kaaganj	33	20	31.6	—	—	—	5	—	—	—	5	7.9	2
Khurja	40	30	39.1	—	—	—	2	1	5	—	10	13.0	1
Koi-Aligarh	143	96	85.0	—	—	—	10	9	6	1	35	12.8	7
Lucknow	467	490	54.7	—	—	—	25	14	24	3	143	16.0	40
Mathura	104	122	61.2	—	—	—	9	1	5	—	22	11.0	4
Mau-Nath Bhanjan.	36	44	63.7	—	—	—	12	2	—	1	27	39.1	4
Meerut	172	146	44.3	—	—	—	7	2	15	—	32	9.7	4
Mirzapur-Vindhyaibal	92	91	51.6	—	—	—	13	3	7	—	42	23.8	10
Moradabad	160	120	39.1	—	—	—	10	3	9	—	35	11.4	11
Muzaffarnagar	68	60	46.0	—	—	—	10	4	4	—	24	18.4	7
Pilibhit	45	26	30.1	—	—	—	5	1	2	—	13	16.1	2
Rampur	148	10	3.6	—	—	—	2	—	2	—	6	2.2	1
Saharanpur	151	125	43.2	—	—	—	50	—	4	1	64	22.1	23
Sambhal	63	74	61.2	—	60	—	19	6	10	—	98	80.9	31
Shahjahanpur	99	95	50.0	—	—	—	33	—	6	—	44	23.2	9
Sitapur	47	30	33.3	—	—	—	1	7	1	—	15	16.6	4
TOTAL	4,997	3,979	41.6	..	65	—	553	145	355	20	1,841	19.2	492

West Bengal*Return not received.***STATES—(Part E)**

Jammu & Kashmir	Madhya Bharat	<i>Returns not received.</i>												
<i>Mysore State</i>														
<i>Bangalore City</i>														
Bangalore City	862	498	30.0	—	—	—	10	69	90	1	331	19.0	—	
Davanagere	62	16	18.8	2	—	—	1	1	3	—	13	15.3	—	
Kolar Gold Fields	165	115	36.2	—	—	—	9	6	6	—	44	13.9	—	
Mysore City	266	83	16.2	—	—	—	20	7	11	—	113	22.1	—	
TOTAL	1,355	712	27.3	2	—	—	34	89	110	1	501	19.2	—	

PEPSU

Patiala City	103	112	56.5	..	—	..	12	4	3	2	36	18.2	16
Malerkotla	33	38	59.9	—	—	—	2	—	—	—	3	4.7	—
Bhatinda	36	23	33.2	—	—	—	6	—	1	—	7	10.1	—
TOTAL	172	173	52.3	—	—	—	20	4	4	2	46	13.9	16

Rajasthan

Alwar	59	26	22.9	—	—	—	8	3	—	—	6	5.5	1
Bharatpur	38	27	36.9	—	—	—	—	—	—	—	9	12.3	2
Bikaner†	—	—	—	—	—	—	—	—	—	—	—	—	—
Churu	44	14	16.5	—	—	—	—	—	—	—	—	—	—
Ganganagar	41	2	2.5	—	—	—	—	—	—	—	—	12	15.2
Tonk	44	6	7.1	—	—	—	—	—	—	—	8	9.5	—
Sikar	47	12	13.3	—	—	—	—	4	—	1	—	12	13.3
Jaipur	318	45	7.4	—	—	—	—	30	7	—	—	54	8.8
Udaipur	97	7	3.8	—	—	—	—	2	1	—	—	7	3.8
Kotah	67	17	13.2	—	—	—	—	6	2	1	—	12	9.3
TOTAL	785	156	10.8	—	—	—	58	14	9	—	120	8.3	29

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th November, 1953—contd.

Deaths from:—

Town	Mid-year 1953 Popn.-Est. (000)	Deaths from:—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Saurashtra													
Bhavnagar	148	50	17.8	36	2	6	..	61	21.7
Dhoraji	45	38	48.9	10	..	2	..	16	18.4
Gondal†
Jamnagar	112	74	34.4	15	1	6	..	32	14.9
Junagadh	64	39	31.7	11	2	1	..	22	17.8
Morvi	42	29	35.9	2	1	3	4.2
Porbandar	61	47	40.1	7	..	1	..	15	12.8
Rajkot	147	167	59.1	43	13	4	..	95	39.6
Surendranagar	88	7	9.6	2	..	1	..	4	5.5
Veraval	43	10	12.1	4	..	1	..	8	9.7
TOTAL	698	461	34.3	180	19	22	..	286	19.0
													59

Travancore-Cochin

Alleppey	130	31	12.4	1	2	10	4.0
Changanacherry	58	20	27.4	2	6	8.2
Ernakulam	66	60	47.3	2	14	11.0
Kottayam	47	18	14.0	1	..	1	..	4	4.4
Mattancherry	78	50	33.3	..	10	4	..	7	..	24	16.0
Nagercoil	86	32	19.3	3	2	5	..	19	11.5
Quilon	70	62	46.1	4	..	18	13.4
Trichur	78	41	29.2	6	1	1	..	8	5.7
Trivandrum City	201	79	20.4	6	1	2	1	22	5.7
TOTAL	789	393	40.8	..	10	—	..	16	6	23	1	125	8.2
													18

ARREAR RETURNS

Bihar		For w/e the 17th October, 1953											
Bihar	65	6	4.8	1	4	3.2
Dinapur	45	12	12.7	4	6	6.9
Arrah	68	17	13.0	4	2	6	4.6
Gaya	141	54	19.9	2	27	4	10	1	60	22.1
Bettiah	37	2	2.8	6	1	8	11.2
Darbhanga	88	24	14.2	2	1	6	3.5
Jamalpur	45	7	8.9	2	4	4.6
Ranchi	118	23	10.1	3	7	3.1
Purulia	44	3	3.5	1	1.2
Jamshedpur	232	112	25.1	1	3	1	..	16	3.6
Monghyr	76	12	8.2	3	2	5	3.4
Dhanbad	37	6	8.4	1	1	1.4
TOTAL	996	278	14.5	8	48	13	11	1	124	6.5
													8

West Bengal

		For w/e the 3rd October, 1953											
Asansol	80	6	3.9	6	3.9
Baidyabati	32	17	27.7	3	5	8.1
Bally	63	11	9.1	1	1	3	2.6
Bankura	49	28	29.8	2	..	1	..	4	6.4
Bansberia†	83	31	19.5	6	4	3	..	21	13.2
Baranagar
Basirhat	37	11	15.5	1	3	4.2
Barhampur	59	35	30.9	3	1	20	17.7
Bhadrakali

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 14th November, 1953—concl.

Deaths from :—

Town	Mid-year 1953 Popn.-Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—contd.													
Bhatpara	138	46	17.4	11	3	5	..	46	17.4	9
Budge Budge	82	2	3.3	2	5	8.1	..
Burdwan	78	11	7.4	5	..	1	..	7	4.7	..
Calcutta	2,825	1,434	26.5	4	1	..	69	92	157	1	704	13.0	167
Champdani	39	22	29.4
Cooch-Behar													
Darjeeling	35	14	20.9	2	..	1	1	5	7.4	..
English-Bazar	33	91	143.8	1	2	1	1	18	28.4	..
Garden Reach	116	19	8.5	3	1	16	7.2	5
Haldibari	38	6	8.2	1	1.3	..
Hooghly-Chinsura	58	67	60.2	3	3	2	2	16	14.4	5
Howrah	458	172	10.6	3	10	17	36	..	140	15.0	40
Jalpaiguri	45	12	13.0	1	1	1	1	8	9.3	..
Kamarhati†													
Kanchrapara	64	17	13.0	2	2	1	8	..
Krishnagar†													
Midnapore	44	33	39.1	8	7	1	..	14	16.6	..
Nabadwip	62	29	24.4	1	2	..	19	16.6	..
Naihati	58	4	3.0	6	2.7	1
North-Barrackpore	34	8	12.3	3	4.6	..
Panihati†													
Shantipur	46	16	18.1	7	7.9	..
Serampore	78	52	34.8	4	3	3	..	22	14.7	6
Siliguri	37	11	15.5	2	2.8	..
South Dum-Dum	71	65	47.7	2	1.5	..
South Suburban	112	20	9.3	1	3	4	4	..	16	7.4	3
Titagarh	74	40	28.2	14	1	2	2	22	15.5	6
TOTAL	4,978	2,330	24.3	8	1	..	150	143	224	11	1,142	11.9	255

Andhra

For w/e the 30th October, 1953

Ahantapur	34	48	73.4	2	1	8	12.2	..
Bhimavaram	33	23	30.2	4	1	2	1	17	26.8	1
Chirala	40	36	46.8	2	1	1	..	9	11.7	..
Chittoor	41	27	34.4	2	2	3	..	16	20.3	3
Cuddapah	49	45	58.5	7	6	2	2	..	22	28.6	1
Eluru	92	65	36.7	8	3	8	..	47	26.6	3
Gudivada	34	28	39.8	3	10	15.3	1
Guntur	135	142	54.7	9	3	6	1	64	24.7	12
Guntakal	34	37	56.6	0	1	15	22.0	1
Kallinada	106	31	15.2	2	1	2	..	28	13.7	8
Kurnool	64	101	82.1	7	6	2	39	31.7	9
Masulipatnam	82	92	58.3	5	1	1	..	37	23.5	6
Nandyal	35	28	37.1	4	2	2	1	1	22	32.7	2
Nellore	87	96	57.4	1	6	3	5	3	50	29.9	11
Proddatur	39	31	41.3	4	2	1	2	..	19	25.3	2
Vijayawada	179	124	92.6	7	2	4	..	53	47.2	15
Tenali	62	66	65.5	3	4	..	20	16.8	7
Visakhapatnam	117	187	83.1	10	5	11	..	67	29.7	12
Vizianagram	71	54	39.6	2	4	6	..	41	30.0	4
Adoni	58	55	49.3	1	2	..	13	11.7	2
Anakapalle	43	38	45.3	1	2	2	1	..	25	30.2	9
TOTAL	1,435	1,349	48.0	20	78	45	67	8	622	22.5	109

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Diseases ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 14th November, 1953, relate to 177 towns with an estimated population of 19,167 thousands. The total number of towns is 296 and their population is 36,160 thousands. Thus 60% of the total number of towns representing 53% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 14,647 and 7,599 representing birth and death rates of 39·7 and 20·6 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 143 towns with an estimated population of 15,398 thousands. Information about Bihar, Bombay and West Bengal could not be included. The total number of towns is 250 and their population is 30,810 thousands. Thus 57% of the total number of towns representing 50% of the total population is covered. The numbers of births and deaths

recorded in these towns were 12,752 and 6,551 representing birth and death rates of 43·1 and 22·1 per thousand of population respectively. The table at the end gives the position by States.

Sambhal in Uttar Pradesh was the only town which had a high death rate of 80·9 per thousand of population and this high death rate was mainly due to deaths from smallpox and fevers.

(B) States (Part B).—The data here relate to 34 towns with an estimated population of 3,769 thousands. The total number of towns is 46 and their population is 5,350 thousands. Thus 74% of total number of towns representing 71% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,895 and 1,048 representing birth and death rates of 26·1 and 14·4 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 14.11.53		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	34·5	11·3	24·2	10·2	40·4	14·3
Andhra . . .	43·4	21·2	†	†	†	†
Delhi . . .	45·1	11·1	34·4	8·9	47·6	11·9
Madhya Pradesh . .	35·0	19·1	34·1	10·5	37·0	20·0
Madras . . .	46·3	33·1	†	†	†	†
Orissa . . .	41·9	26·1	44·5	21·7	39·4	26·0
Punjab (I) . . .	45·6	12·1	42·9	11·6	37·9	11·8
Uttar Pradesh . .	41·5	10·2	39·4	10·5	40·2	20·8
India (only States Parts A and C).	43·1	22·1	41·5	18·1	39·6	19·4

† Figures not available.

NEW DELHI, 2 (INDIA); }
The 7th December, 1953. }

K. MITRA,
for Registrar General, India.